



सत्यमेव जयते

File No: EN/T-II-1/112/2025
Government of India
Ministry of Environment, Forest and
Climate Change
(Issued by the State Environment
Impact Assessment Authority(SEIAA),
WEST BENGAL)



Date 29/01/2026



To,

Deepak Kumar Agarwal
SPS STEELS ROLLING MILLS LIMITED
Diamond Heritage, 16, Strand Road, Room No. H 523A, 5th Floor, Kolkata , Kolkata, KOLKATA, WEST
BENGAL, Opposite of Nonapukur Tram Depot, 700017
spsmoef@shakambharigroup.in

Subject: Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA
Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number
SIA/WB/IND1/554972/2025 dated 13/10/2025 for grant of prior Environmental Clearance (EC) to the
proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC25B1011WB5496966N
(ii) File No.	EN/T-II-1/112/2025
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	3(a) Metallurgical Industries (ferrous and non ferrous) Expansion of Existing Structural Rolling Mill (1,05,600 TPA) by Installation of Steel Melting Shop (1,18,800 TPA) at Nasser Hussain Avenue, PO- Bidhannagar, PS –Coke Oven, Tehsil- Faridpur Durgapur, District – Paschim Bardhaman, West Bengal-713212 by M/s. SPS Steels Rolling Mills Limited
(vii) Name of Project	
(viii) Name of Company/Organization	SPS STEELS ROLLING MILLS LIMITED
(ix) Location of Project (District, State)	PASCHIM BARDHAMAN, WEST BENGAL
(x) Issuing Authority	SEIAA

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by SEIAA in the meeting held on 19/01/2026. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above.
5. The brief description of the project is as under:

This is a proposal for expansion of existing Structural Rolling Mill (1,05,600 TPA) by installation of Steel Melting Shop comprising 2x20 T Induction Furnace, 1x20T LRF along with matching caster for the production of 1,18,800 TPA MS billets and other allied facilities at Nasser Hussain Avenue, PO- Bidhannagar, PS – Coke Oven, Tehsil- Faridpur Durgapur, District – Paschim Bardhaman, PIN -713212, West Bengal by M/s. SPS Steels Rolling Mills Limited. Total land area of the proposed project is 8.883 acres (3.594Ha) [additional 3.40 Acre adjacent land from Infratex Commercial Pvt. Limited (formerly Oversure Stockist Pvt. Ltd.)].

According to the DSS of the PARIVESH portal, the project area does not touch any CRZ, ESZ and PA. The nearest RFA – BURDWAN is at a distance of 1.14 km.

The project proponent (PP) obtained ToR issued by SEIAA, WB vide TOR Identification No.TO25B1011WB5748565N dated 29.05.2025 against proposal no. SIA/WB/IND1/534915/2025.

Earlier the PP had obtained Consent to Establish (NOC) vide CTE No. 64216, Memo No. 150-5/WPBD-NOC (3390)/10, dated 11.08.2010, Valid till 31.05.2015 and its amendment vide CTE No.: WBPCB/5495852/2024 dated 21.10.2024 for enhancement of production capacity from 5000TPM to 8800TPM i.e., by additional production 3800TPM.

The PP had obtained Consent to Operate vide CTO No. CO79293, Memo No. 122-7/WPBD-Cont. (7812)/21, dated 07.04.2022, valid till 30.11.2028 and further CTO vide CTO No. WBPCB/5904056/2024 dated 07.01.2025 for enhancement of production capacity from 5000 TPM to 8800 TPM i.e., by additional production 3800 TPM.

Presently the project proponent is operating units of structure rolling mill which includes production of different rolling mill products like INA/ISMB/ISMC structures of 8,800 MT/Month (1,05,600 TPA) production capacity over an area of 5.483 Acres.

The salient features of the proposed project as submitted by the PP is as below:

Project Name	Expansion of Existing Structural Rolling Mill (1,05,600 TPA) by Installation of Steel Melting Shop (1,18,800 TPA) by M/s. SPS Steels Rolling Mills Limited			
Location	Plot No.: 10028(P), 1783(P), 1616(P), 1782(P), 10027, 1781(P), 1772(P), 1773(P), 1769(P), 1768(P), 1774(P), 1780(P), 1775(P), 1776(P), 1779(P), 1759(P),1741(P), 1742(P), 1743(P), 1744(P), 1745(P), 1746(P), 1748(P), 1749(P), 1750, 1751(P), 1752, 1753(P), 1754, 1755, 1756(P), 1757(P), 1758(P), 1759(P), 1772(P), Nasser Hussain Avenue, PO-Bidhannagar, PS –Coke Oven, Tehsil- Faridpur Durgapur, District – Paschim Bardhaman, West Bengal.			
Land Area	Presently company has the Rolling mill unit on an area of 5.483 Acres land which has been taken by lease from Govt. of West Bengal. Now the SPS Steels Rolling Mills Limited has taken additional 3.40 Acre adjacent land from Infratex Commercial Pvt. Limited (formerly Oversure Stockist Pvt. Ltd.) in rent. So, the total land area of the proposed project is 8.883 acres (3.594Ha). The Chronology of the 3.4acre land is as below: I. This 3.4 Acre land is a part of total 6.0 Acre land which had been taken by M/s. Bengal Recyclers & Fabricators (P) Ltd. from Government of West Bengal through Lease Agreement. II. Then M/s. Oversure Stockist Private Limited had purchased the M/s. Bengal Recyclers & Fabricators (P) Ltd. III. After that, the name of the M/s. Oversure Stockist Private Limited had been changed to M/s. Infratex Commercial Private Limited.			
Land use Break up	Land Use	Land Area in Acre		
		Existing Area break up	Proposed addition	After expansion
	SMS and Slag Crushing Area	0	1.045	1.045
Rolling Mill	1.984	0	1.984	22.33%

	Land Use	Land Area in Acre																													
		Existing Area break up	Proposed addition	After expansion	% (After expansion)																										
	Parking Area	0	0.075	0.075	0.84%																										
	Road and drain	1.249	0.541	1.79	20.15%																										
	RWH Pond	0	0	0.137	1.54%																										
	Green Belt	1.864	1.689	3.553	40.00%																										
	Office & Store etc.	0.172	0	0.172	1.94%																										
	Raw Material Yard	0	0.05	0.05	0.56%																										
	Water Handling Area	0.077	0	0.077	0.87%																										
	Other/ Open land Area	0.137	0	0	0%																										
	Total Area in Acre	5.483	3.4	8.883	100.00%																										
	Total Area in Hectare	2.219	1.376	3.595																											
Green belt Plantation	In the present project of 5.483 Acre land, approx. 1.86 Acre (~ 34 %) has been dedicated for plantation where plantation work is going on. With the new land acquisition after expansion project, total green area will be extended to 3.55 Acre which is 40% of the total land. Total around 3575 nos. of plantation will be done.																														
Production Capacity	<table border="1"> <thead> <tr> <th colspan="2"><i>Existing Production Capacity</i></th> </tr> <tr> <th>Name of the Product</th> <th>Capacity</th> </tr> </thead> <tbody> <tr> <td>Production of INA/ISMB/ISMC through structural rolling mill</td> <td>1,05,600 TPA (88,00 TPM)</td> </tr> <tr> <th colspan="2"><i>Proposed Production Capacity</i></th> </tr> <tr> <td>MS Billets</td> <td>1,18,800 TPA</td> </tr> <tr> <td>Rolled Products (Hot charging)</td> <td>1,05,600 TPA</td> </tr> </tbody> </table>				<i>Existing Production Capacity</i>		Name of the Product	Capacity	Production of INA/ISMB/ISMC through structural rolling mill	1,05,600 TPA (88,00 TPM)	<i>Proposed Production Capacity</i>		MS Billets	1,18,800 TPA	Rolled Products (Hot charging)	1,05,600 TPA															
<i>Existing Production Capacity</i>																															
Name of the Product	Capacity																														
Production of INA/ISMB/ISMC through structural rolling mill	1,05,600 TPA (88,00 TPM)																														
<i>Proposed Production Capacity</i>																															
MS Billets	1,18,800 TPA																														
Rolled Products (Hot charging)	1,05,600 TPA																														
Major Installations	<table border="1"> <thead> <tr> <th colspan="3">Existing</th> </tr> <tr> <th>Name of the Installation</th> <th>Configuration</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>Reverberatory type Reheating Furnace</td> <td>20T/Hr.</td> <td rowspan="3">To be retained</td> </tr> <tr> <td>Structured Rolling Mill</td> <td>320 TPD</td> </tr> <tr> <td>DG Set</td> <td>1x125 kVA</td> </tr> <tr> <th colspan="3">Proposed</th> </tr> <tr> <td>Induction Furnace</td> <td>2x 20 T</td> <td rowspan="6">Proposed</td> </tr> <tr> <td>LRF</td> <td>1x 20 T</td> </tr> <tr> <td>CCM</td> <td>As per matching capacity</td> </tr> <tr> <td>DG Set</td> <td>1x750 kVA</td> </tr> <tr> <td>Slag Crusher</td> <td>20 TPH</td> </tr> </tbody> </table>				Existing			Name of the Installation	Configuration	Remarks	Reverberatory type Reheating Furnace	20T/Hr.	To be retained	Structured Rolling Mill	320 TPD	DG Set	1x125 kVA	Proposed			Induction Furnace	2x 20 T	Proposed	LRF	1x 20 T	CCM	As per matching capacity	DG Set	1x750 kVA	Slag Crusher	20 TPH
Existing																															
Name of the Installation	Configuration	Remarks																													
Reverberatory type Reheating Furnace	20T/Hr.	To be retained																													
Structured Rolling Mill	320 TPD																														
DG Set	1x125 kVA																														
Proposed																															
Induction Furnace	2x 20 T	Proposed																													
LRF	1x 20 T																														
CCM	As per matching capacity																														
DG Set	1x750 kVA																														
Slag Crusher	20 TPH																														
Estimated project cost	30 Crores.																														
Amount for need based activities	45 Lacs																														
Manpower	Total after expansion- 200																														
Land use	Industrial Land.																														
Power supply	The power requirement for proposed expansion project is 20 MW. (Source- WBSEDCL) D.G. Set: Existing: 1x125 KVA Proposed: of 1 x 750 KVA for emergency support. It is proposed that PP will install 500 KW solar powers on the shed of the plant.																														
Fuel	HSD requirement for Existing DG Set (1x125 KVA) and proposed DG Set (1 x 750 KVA) will be 20 L/ Hr and 120 L/Hr respectively (DG Sets will be used as backup power source) CBM is used as fuel in the reheating furnace (Reheating furnace shall be kept as backup support for any need-based operation only). The quantity of CBM is 55 SCM/Ton of production.																														
Water demand and supply after expansion	<table border="1"> <thead> <tr> <th>Category</th> <th>Requirement (KLD)</th> </tr> </thead> <tbody> <tr> <td>Total Water</td> <td>416</td> </tr> <tr> <td>Fresh Water</td> <td>390</td> </tr> </tbody> </table>				Category	Requirement (KLD)	Total Water	416	Fresh Water	390																					
Category	Requirement (KLD)																														
Total Water	416																														
Fresh Water	390																														

	Recycled/reused Water	26
(Primary Source: Durgapur Projects Limited ; Secondary Source: Essar Oil and Gas Exploration and Production Limited)		

The PP has submitted self-certified compliance report dated 12.12.2025 for the project according to the provisions of MoEF&CC O.M. F No. IA3-22/10/2022-IA.III[E 177258] dated 08.06.2022.

6. The State Level Environment Impact Assessment Authority (SEIAA), West Bengal examined the proposal and also perused recommendations of the State Level Expert Appraisal Committee (SEAC). After due consideration of the project proposal, and after considering the recommendations of the State Level Expert Appraisal Committee (SEAC), the State Level Environment Impact Assessment Authority accords Environmental Clearance to the project as per provisions of the EIA notification no. S.O. 1533 (E) dt. 14th September, 2006 of Ministry of Environment & Forests, GOI and the subsequent amendments, on the basis of above mentioned features along with other details submitted to SEIAA subject to strict compliance of the terms and conditions as given in Annexure (1).
7. The Ministry reserves the right to stipulate additional conditions, if found necessary.
8. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
9. The Project Proponent is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
10. **Validity of EC is 10 years (for construction). Validity of EC becomes perpetual (operational validity) subject to the start of production operations by the project or activity within validity date for construction. In case the project proponent fails to start the production operations within the EC validity date, application for EC validity extension shall be submitted to the regulatory authority as per the provision contained in the EIA notification, 2006 and its amendment.**
11. General Instructions:
 - (a) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
 - (b) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
 - (c) The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
 - (d) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during perational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
 - (e) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - (f) The Regional Office of this Ministry / SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 - (g) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
12. This issues with the approval of the Competent Authority

1. Standard Conditions -


S. No	EC Conditions
1.1	<p>I. Statutory compliance</p> <p>i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.</p> <p>ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.</p> <p>iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area).</p> <p>iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.</p> <p>v. The project proponent shall obtain the necessary permission from the Competent Authority, in case of drawl of ground water or in case of drawl of surface water required for the project.</p> <p>vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.</p> <p>vii. The rent agreement between the project proponent and M/s. Infratex Commercial Private Limited should be registered before starting of any construction activity.</p> <p>II. Air quality monitoring and preservation</p> <p>i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R.277(E) dated 31st March 2012 (applicable to IF / EAF) as amended from time to time as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p> <p>ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p> <p>iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common / criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission. and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous).</p> <p>iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.</p> <p>v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.</p> <p>vi. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.</p> <p>vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.</p> <p>viii. Recycle and reuse iron are fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting /</p>

S. No	EC Conditions
	<p>agglomeration.</p> <p>ix. The project proponent shall use leak proof trucks / dumpers carrying coal and other raw materials and cover them with tarpaulin.</p> <p>x. The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.</p> <p>xi. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.</p> <p>xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.</p> <p>III. Water quality monitoring and preservation</p> <p>i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R.277(E) dated 31st March 2012 (applicable to IF / EAF) as amended from time to time; as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act. 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)</p> <p>ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.</p> <p>iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC/SEIAA, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.</p> <p>iv. Adhere to 'Zero Liquid Discharge'.</p> <p>v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.</p> <p>vi. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R.277(E)31st March 2012 (applicable to IF / EAF) as amended from time to time.</p> <p>vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.</p> <p>viii. The project proponent shall practice rainwater harvesting to maximum possible extent. No recharge to ground aquifer is permitted.</p> <p>ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.</p> <p>IV. Noise monitoring and prevention</p> <p>i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the MoEF&CC / SEIAA as a part of six-monthly compliance report.</p> <p>ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.</p> <p>V. Energy Conservation measures</p> <p>i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.</p> <p>ii. Practice hot charging of slabs and billets / blooms as far as possible.</p> <p>iii. Ensure installation of regenerative type burners on all reheating furnaces.</p> <p>iv. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.</p> <p>v. Provide the project proponent for LED lights in their offices and residential areas.</p> <p>VI. Waste management</p> <p>i. Used refractories shall be recycled as far as possible.</p> <p>ii. Oily scum and metallic sludge recovered from roiling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.</p> <p>iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick</p>

S. No	EC Conditions
	<p>manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the MoEF&CC regional office/ State Environment Impact Assessment Authority / State Pollution Control Board.</p> <p>iv. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.</p> <p>v. Kitchen waste shall be composted or converted to biogas for further use. (to be decided on case to case basis depending on type and size of plant).</p> <p>VII. Green Belt</p> <p>i. Green belt shall be developed in 40% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.</p> <p>ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.</p> <p>VIII. Public hearing and Human health issues</p> <p>i. Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.</p> <p>ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.</p> <p>iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p> <p>iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.</p> <p>IX. Environment Management Plan (EMP)</p> <p>i. The project proponent should submit the proposed EMP on six monthly basis. The office Memorandum issued by the MoEF&CC vide F.No.22-65/2017-IA, III dated 30/09/2020 should be strictly followed.</p> <p>ii. The project proponent should obtain land conversion certificate for the entire project from the competent authority before starting construction activity.</p> <p>iii. The project proponent shall install display board for display of all the environmental parameters including sensor-based air, water and noise quality monitoring stations within their premises.</p> <p>iv. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the Board resolution in this regard shall be submitted to the MoEF&CC/SEIAA as a part of six-monthly report.</p> <p>v. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of Senior Executive, who will directly to the head of the organization.</p> <p>vi. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment, Forests & Climate Change / State Environment Impact Assessment Authority / State Pollution Control Board along with the Six Monthly Compliance Report.</p> <p>vii. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.</p> <p>viii. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.</p>

S. No	EC Conditions
	<p>ix. Needs of the locality shall be assessed and the social part of the EMP shall be undertaken as stipulated by MoEF&CC Office Memorandum F. No. 22-65/2017.IA.III dated 30.09.2020. Beneficiary of the social component of EMP should be identified and to be displayed at site. Need based activities for local people is part of the EMP. Need-based activities to be done by the PP is given in Annexure-2. All the works under need based activities shall be done in the State of West Bengal only and will be reflected in six monthly compliance report where pictures of works/items supplied with beneficiaries and accounts of the PP showing expenditures towards these items of works shall also be provided. The need based activities and plantation will have to be implemented within next three years or before starting of operation, whichever is earlier. Photographic evidence (geo-tagged) of the need based activities and relevant bills/vouchers regarding the implementation of need based activities with actual expenses incurred are to be given in 6 monthly compliance report.</p> <p>X. Additional Condition imposed by SEAC</p> <p>a) Approval of plan and permission to construct building/s under the Factories Act, 1948 from the Directorate of Factories should be obtained before submission of Consent to Establish application to the WBPCB.</p> <p>b) Fire Safety Certificate from the competent authority (Fire and Emergency Services) to be obtained before submission of Consent to Establish application to the WBPCB.</p> <p>XI. Miscellaneous</p> <p>i. The validity of EC is 10 years (for construction). Validity of EC becomes perpetual (operational validity) subject to the start of production operations by the project or activity within validity date for construction. In case the project proponent fails to start the production operations within the EC validity date, application for EC validity extension shall be submitted to the regulatory authority as per the provision contained in the EIA notification, 2006 and its amendment.</p> <p>ii. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.</p> <p>iii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.</p> <p>iv. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including result of monitored data on their website and update the same on half-yearly basis.</p> <p>v. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.</p> <p>vi. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the MoEF&CC /SEIAA at environment clearance portal.</p> <p>vii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.</p> <p>viii. The project proponent shall inform the Regional Office as well as the Ministry/SEIAA. the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.</p> <p>a. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.</p> <p>b. The project proponent shall abide by all the commitments and recommendations made in the EIA / EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee.</p> <p>ix. No further expansion or modifications in the plant shall be carried out without prior approval of the State Environment Impact Assessment Authority.</p>

S. No	EC Conditions										
	<p>x. Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.</p> <p>xi. The State Environment Impact Assessment Authority may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.</p> <p>xii. The State Environment Impact Assessment Authority reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.</p> <p>xiii. The State Environment Impact Assessment Authority / State Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the State Environment Impact Assessment Authority / State Pollution Control Board by furnishing the requisite data / information / monitoring reports.</p> <p>xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.</p> <p>xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.</p> <p>The contact details of the proponent and the name of the consultant are given below –</p> <table border="0"> <tr> <td>Name of the contact person with Designation</td> <td>Mr. Deepak Kumar Agarwal, Director</td> </tr> <tr> <td>Address</td> <td>Diamond Prestige, 41A, A.J.C. Bose Road, 7th Floor, 701, Kolkata 700017</td> </tr> <tr> <td>Email</td> <td>spsmoef@shakambharigroup.in</td> </tr> <tr> <td>Telephone Number / Mobile Number</td> <td>+91 33 66255252</td> </tr> <tr> <td>Name of the Environmental Consultant</td> <td>M/s Ultra Tech</td> </tr> </table>	Name of the contact person with Designation	Mr. Deepak Kumar Agarwal, Director	Address	Diamond Prestige, 41A, A.J.C. Bose Road, 7th Floor, 701, Kolkata 700017	Email	spsmoef@shakambharigroup.in	Telephone Number / Mobile Number	+91 33 66255252	Name of the Environmental Consultant	M/s Ultra Tech
Name of the contact person with Designation	Mr. Deepak Kumar Agarwal, Director										
Address	Diamond Prestige, 41A, A.J.C. Bose Road, 7th Floor, 701, Kolkata 700017										
Email	spsmoef@shakambharigroup.in										
Telephone Number / Mobile Number	+91 33 66255252										
Name of the Environmental Consultant	M/s Ultra Tech										



NEED BASED ACTIVITIES FOR LOCAL PEOPLE

(Proposal No. : **SIA/WB/IND1/554972/2025** - Proposed expansion of existing Structural Rolling Mill (1,05,600 TPA) by installation of Steel Melting Shop (1,18,800 TPA) at Nasser Hussain Avenue, PO-Bidhannagar, PS – Coke Oven, Tehsil- Faridpur Durgapur, District – Paschim Bardhaman, WestBengal-713212by **M/s. SPS Steels Rolling Mills Limited.**)

Sl.No	Proposed Programme	Amount (Rs. In Lacs)			Total	Name of the Beneficiary
		1 st Year	2 nd Year	3 rd Year		
1.	Various environmental projects, environmental awareness programs, R&D projects related to environment etc. in association with WBPCB	7.5	7.5	7.5	22.5	---
2.	Avenue Plantation in association with local DFO	1	1	1	3	Bidhannagar, Sagarvanga Villages
3.	Organization of Health Check-up Camp, Blood Donation Camp in the nearby Villages	1	1	1	3	Shyampur, Gopalpur, Gopinathpur Villages
4.	Organization of Vocational Training camp for local youths	1.5	1.5	1.5	4.5	Khairasol, Namasagarvanga Villages
5.	Supply of filtered (Followed by disinfection) Drinking Water in nearby villages	1.5	1.5	1.5	4.5	Khairasol, Namasagarvanga, Gopinathpur Villages
6.	Nearby Road Development using Slag	1	1	1	3	Khairasol, Gopinathpur
7.	Water body restoration in association with West Bengal Wetland Authority	1.5	1.5	1.5	4.5	Durgapur, Shyampur Villages
Total		15	15	15	45	

The need based activities and plantation will have to be implemented within next three years or before starting of operation, whichever is earlier. Photographic evidence (geo-tagged) of the need based activities and relevant bills/vouchers regarding the implementation of need based activities with actual expenses incurred are to be given in 6 monthly compliance report.